

Stichting Theaters Tilburg

Technical Specifications

Studio



General Information

Address

City	Tilburg
Theater Hall	Schouwburg Concertzaal Tilburg Schouwburg
Visiting address & parking	Louis Bouwmeesterplein 1 5038 TN Tilburg
Performers entrance	Louis Bouwmeesterplein 1 5038 TN Tilburg Location Performers entrance
Loading dock	Across Schouwburgring 121 5038 TW Tilburg Locatie Laad & Los

Phone numbers

General	013 5490 390
Ticket service	013 5432 220

Contactgegevens

Contact Technical department	Bas van Steen	013 5490 341
	Ineke Padmos	013 5490 327
	techniek@schouwburgconcertzaaltilburg.nl	
Contact Production	Anne Rosenau	013 5490 316
	arosenau@schouwburgconcertzaaltilburg.nl	

Standard times

Lunch	12:30 – 13:00
Dinner	17:00 – 19:00
Evening showtime	20:30
Showtime matinee	variable

Fire alarms can be turned off, but always in consultation with the technicians of Schouwburg Concertzaal Tilburg

Accessibility

The main entrances of the Schouwburg, Concertzaal and Studio are located on the Schouwburgring. The coordinating address and the backstage entrance is Louis Bouwmeesterplein 1, 5038 TN Tilburg.

In the center of Tilburg (within the ring roads), there is an environmental zone. This area is not accessible to diesel trucks with emission class 0 to 5.

For more information and to apply for an exemption, visit the website of the Municipality of Tilburg:

[Ontheffing milieuzone - Gemeente Tilburg](#)

Parking

The municipality of Tilburg does not provide free parking around the theatre. There are multiple paid car parks around Schouwburg Concertzaal Tilburg. Parking can be paid with cash or by debit- or credit card.

Please take into account that Thursday evenings are extra busy due to extended opening hours of stores in the city centre. Parking takes considerably more time than on other days. Extra crowds can also be expected on Sundays and holidays.

Public transport

Tilburg Central station is located 15 minutes from the theatre. It also an option to take a city taxi or a bus.

Loading dock

Loading dock is on street level, without cover.

The Stage is 3 meter beneath street level. The stage is accessible via freight elevator. Maximum weight 1500kg

Dimensions elevator:	4,00 x 1,20 x 2,10 meter (LxWxH)
Smallest passage to the stage:	1,20 x 2,00 meter (LxW)

CAUTION:

Flightcases with wardrobe can only reach the dressing rooms via stairs

Technical general information

Venue capacity

Maximum amount of seats	158	
Depth of the stage	8,0 m	126 seats
	7,0 m	142 seats
	6,0 m	158 seats
Standard amount of FOH places	2x4 (included with all configurations of the stage)	
Maximum amount standing	570 <i>Without seating and soft goods</i>	

Stage dimensions

Stage floor	Width	14 meter, with side blacks
		08.00 – 12.00 m, with legs
Variable opening	Height	03.95 meter, bottom of the grid
	Depth	05.00 - 08.00 meter, grand stands to back wall

Soft furnishings and details

Stage floor	Material	Keroewing Hardwood
Marley	Colour	black
	Width	12 meter
Back wall	Colour	Night blue
		Curved wall

Soft goods and masking

General	Colour	Night blue	
12x leg	Height	04.00	meter
	<i>On rails</i> Width	03.50	meter
1x full black	Height	04.00	meter
	<i>On rails</i> Width	12.00	meter
2x3 side blacks	Height	04.00	meter
	<i>On rails</i> Width	03.50	meter
Projection canvas	Height	04.00	meter
	<i>On rails</i> Width	14.00	meter

Grid

Above the stage floor is a grid for hanging lights, sound and scenery
The height of this grid is 3.96 meter.

The maximum point load for the whole grid is 200 kg.

Electrics and infrastructure

Power distribution

All high voltage current connections have CEE-norm red connectors, with 3 phases, zero and ground

63A	1x	Stage right, upstage (7m to stage) <i>Standard for dimmers floor package</i>
	1x	Stage left, upstage (7m to stage)
32A	1x	Stage right, upstage (7m to stage)) <i>From dimmers floorpackage</i>
	1x	FOH (15m to stage)
	2x	In the foyer

DMX

The DMX- network is installed as a star-network, of which the middle is located in a patch bay in the control booth. DMX can be sent and received at multiple locations throughout the venue.

Network

The venue also has an extensive CAT7 network. Multiple lines for audio, video and sACN are located throughout the venue.

LED conversion

The LED fixtures in the grid for the side and backlighting can be controlled with one channel. Each light can be programmed with any colour desired by the visiting company.

If desired, It is also possible to control the LED fixtures in their full mode with sACN, or with a separate DMX line.

For a current patch list, contact our technical department at techniek@schouwburgconcertzaaltilburg.nl

Lighting

Lighting console

Roadhog 4,
Faderwing available in consultation



Prerigged fixtures

1st front	8x	ADB A56 650W PC met barndoors
	8x	ETC Source4 zoom profile 25°-50°
2nd front	6x	ADB A56 650W PC with barndoors
	6x	ETC Source4 zoom profile 25°-50°
3rd front	6x	ADB A56 650W PC with barndoors
Backlight	6x	Chauvet Ovation F-915 VW LED Fresnel
Side lights (per side)	4x	ADB C52 PC 500W with barndoors
	2x	Chauvet Ovation F-915 VW LED Fresnel

Extra fixtures

Pars	24x	ETC Source4 MultiPAR 575W; WFL, MFL, NSP, VNSP
PC	12x	ADB C52 PC 500W met barndoors
Zoom profile	12x	ETC Source4 zoom profile 25°-50°
Fresnel	8x	DTS Scena S 500W Fresnel
<i>In consultation with other halls</i>		
LED profile	12x	ETC Source4 LED Lustr+ 25°-50°
LED par	6x	Expolite Tourled 56 Power RGBW
LED strip	12x	Showtec Pixelbar 18 Q4
Moving heads		
Spot	6x	GLP impression S350 profile
Wash	8x	Clay Paky K10 B-Eye
	6x	Prolights Astra 7 Pix (other amounts in consultation)

Audio

System

Main	Martin Audio XD12 / S18
Center	Martin Audio XD12
DSP	Peavey MM Nion

Monitors

Monitors	2x	D&B MAX12
Amplifiers	1x	D&B D6 Amplifiers

Multi-cable

Analog	36 ch.	Harting HAN108 FOH position auditorium 36x XLR stage left and right 36x XLR in control booth
Digital	Cat7	Ethernet Cat7 connection, assigned to D-rack

Mengtafels

Digico	SD11 / SD9	The use of our consoles is always in consultation and depends on the availability in our other halls.
D-rack		Stage left or right

Extra material

Schouwburg Concertzaal Tilburg has, in addition to the standard systems in our halls, an extensive collection of consoles, mics, wireless transmitters, monitors and other supplies and cables. These can be used in consultation with our other halls. For information and availability reach out to our technical department, via techniek@schouwburgconcertzaaltilburg.nl

Video

Schouwburg Concertzaal Tilburg has multiple audiovisual supplies, which contain beamers, laptops and mixing devices. Availability is always in consultation with our other halls. For information and availability reach out to our technical department, via techniek@schouwburgconcertzaaltilburg.nl

Piano

Grand Piano	Yamaha C3
--------------------	-----------

Piano	Seiler	Serial nr. 160630
--------------	--------	-------------------

The grand piano is always available, piano only upon request.

Dressing room

Stage level -1	2x	2 dressingrooms, Ladies and men's toilets Both dressingrooms have a shower. Connections for washers and dryers are located in the Schouwburg.
----------------	----	--

An audio feed of the auditorium and public address system are available from the control booth.

Green room

Shared with the Schouwburg

Space for 50 persons, seating for 36 persons.

Small audio installation, mic available

There is someone from our hospitality department available in the green room from the moment the artists arrive, until after intermission. Other times are in consultation with our hospitality department.

Information for catering or about the green groom:

- Carla Donkers, cdonkers@schouwburgconcertzaaltilburg.nl
013 5490 308 (Corporate)
- Anne Rosenau, arosenau@schouwburgconcertzaaltilburg.nl
013 5490 316 (impresario's)